

Award Number: W81XWH-12-1-0084

TITLE: "Longitudinal Study of a Novel Performance-based Measure of Daily Function."

PRINCIPAL INVESTIGATOR: Terry Goldberg, PhD

CONTRACTING ORGANIZATION: The Feinstein Institute for Medical Research
Manhasset, NY 11030

REPORT DATE: JUNE 2016

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Material Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE		Form Approved OMB No. 0704-0188
<p>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 222024302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>		
1. REPORT DATE June-2016	2. REPORT TYPE Final	3. DATES COVERED 15Mar2012 - 14Mar2016
4. TITLE AND SUBTITLE Longitudinal Study of a Novel, Performance-based Measure of Daily Function		5a. CONTRACT NUMBER W81XWH-12-1-0084
		5b. GRANT NUMBER W81XWH-12-1-0084
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S) Terry E. Goldberg, PhD E-Mail: tgoldber@nshs.edu		5d. PROJECT NUMBER
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Feinstein Institute for Medical Research 350 Community Drive Manhasset, NY 11030		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012		10. SPONSOR/MONITOR'S ACRONYM(S)
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited		
13. SUPPLEMENTARY NOTES		
14. ABSTRACT <p>As the Alzheimer's disease field moves to studies and intervention trials in the preclinical phase and early prodromal period, it will be necessary to measure everyday function in an increasingly more sensitive and sophisticated way to capture more subtle impairments. One approach to increasing sensitivity in functional measures is to use performance based instruments, such as the UCSD Performance-based Skills Assessment (UPSA), in Mild Cognitive Impairment (MCI) or mild Alzheimer's disease (AD) research. In this test patients are observed and their response scored as they actually perform proxies for real world tasks and it contrasts with more typical informant based measures. In a preliminary study we compared patients with MCI, patients with mild AD who by diagnosis have functional impairments, and healthy age matched controls on the UPSA, as well as measures of cognition (e.g., episodic memory, semantic memory, executive function, speed). We found that patients with MCI had compromises in everyday functional competence and that the UPSA was strikingly sensitive to these (Goldberg et al, 2010). Additionally the UPSA outperformed an informant based measure on a variety of criteria. <i>However, that study was not longitudinal.</i> Therefore, it is important that we obtain data on the longitudinal characteristics of the UPSA in these populations, including the severity of decline in this measure over time, the relationship of decline to cognitive changes in order to determine the validity of the UPSA, and its technical psychometric characteristics (e.g., test-retest reliability).</p>		
15. SUBJECT TERMS Alzheimer's disease, Mild Cognitive Impairment, functional impairment, UPSA		

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			USAMRMC
			UU	18	19b. TELEPHONE NUMBER <i>(include area code)</i>

Table of Contents

Abstract	page 5
Introduction	page 5
Key research accomplishments	page 6
Methods	page 6
Results and Discussion	page 7
References	page 8
Supporting data	page 8-17
Appendix I	page 18

Abstract As the Alzheimer's disease field moves to studies and intervention trials in the preclinical phase and early prodromal period, it will be necessary to measure everyday function in an increasingly more sensitive and sophisticated way to capture more subtle impairments. One approach to increasing sensitivity in functional measures is to use performance based instruments, such as the UCSD Performance-based Skills Assessment

(UPSA), in Mild Cognitive Impairment (MCI) or mild Alzheimer's disease (AD) research. In this test patients are observed and their response scored as they actually perform proxies for real world tasks and it contrasts with more typical informant based measures. In a preliminary study we compared patients with MCI, patients with mild AD who by diagnosis have functional impairments, and healthy age matched controls on the UPSA, as well as measures of cognition (e.g., episodic memory, semantic memory, executive function, speed). We found that patients with MCI had compromises in everyday functional competence and that the UPSA was strikingly sensitive to these (Goldberg et al, 2010). Additionally the UPSA outperformed an informant based measure on a variety of criteria. *However, that study was not longitudinal.* Therefore, it is important that we obtain data on the longitudinal characteristics of the UPSA in these populations, including the severity of decline in this measure over time, the relationship of decline to cognitive changes in order to determine the validity of the UPSA, and its technical psychometric characteristics (e.g., test-retest reliability).

In the present longitudinal study we found large between group differences on the UPSA, such that HCs outperformed MCI individuals, who in turn outperformed AD individuals. We found a significant effect of time, such that overall, groups declined over a one year period. While we did not find a group by time interaction, it was the case that in terms of effect sizes decline in the MCI and AD groups was medium, while for HCs, it was small.. Psychometrically the UPSA showed very good test-retest reliability. Additionally, correlations between the long form and short form were very high. However, a practice effect was noted at six weeks.

Introduction As the Alzheimer's disease field moves to studies and intervention trials, it will be necessary to measure everyday function in an increasingly more sensitive and sophisticated way to capture more subtle impairments. One approach to increasing sensitivity in functional measures is to use performance based instruments, such as the UCSD Performance-based Skills Assessment (UPSA), in Mild Cognitive Impairment (MCI) or mild Alzheimer's disease (AD) research. In this test patients are observed and their response scored as they actually perform proxies for real world tasks (such as determining which bus route to take, writing a check, planning a trip to the beach, and recalling an appointment's time and place). In a preliminary study we compared patients with MCI, patients with mild AD who by diagnosis have functional impairments, and healthy age matched controls on the UPSA, as well as measures of cognition (e.g., episodic memory, semantic memory, executive function, speed). We found that patients with MCI had compromises in everyday functional competence and that the UPSA was strikingly sensitive to these (Goldberg et al, 2010). *However, that study was not longitudinal.* Since our initial review several new measures of everyday function have been introduced. However, these are informant based and may be subject to informant biases, lack of knowledge, or imprecision.

Therefore, it is important that we obtain data on the longitudinal characteristics of the UPSA in these populations, including the severity of decline in this measure over time, the relationship of decline to cognitive

changes in order to determine the validity of the UPSA, and its technical psychometric characteristics (e.g., test-retest reliability). We will longitudinally assess magnitude of decline in the UPSA individuals with MCI and mild AD assessed at baseline, 6 weeks, and 12 months. We will compare and contrast decline in the UPSA with a commonly used measure of function administered to informants (the FAQ) in MCI and AD using Effect Sizes (ES) and mixed model repeated measures. We will determine the cognitive measures that best predict decline in the UPSA. We predict that the UPSA will decline over time in the MCI and AD groups with and demonstrate strong relationships to cognitive decline

Key Research Accomplishments

- Recruitment of subjects for baseline evaluation and longitudinal follow up. To date 77 subjects have been enrolled and data were analyzed in this report (see below). A total of 183 assessments were completed.
- Implementation of testing procedures and screening procedures. Entry of data into our database.
- We answered key scientific questions listed in our Aims. In particular we found that psychometric properties of the UPSA were robust; that the UPSA was sensitive to diagnostic class such that HCs >MCI>AD in terms of UPSA performance; that in MCI and AD cohorts over the one year period of follow up, UPSA performance declined; and that UPSA short form and long form were highly correlated. We also noted a practice effect for the UPSA at six weeks that was reduced by one year in HCs and to a lesser extent, MCI.

Methods

Subjects

Recruitment began September 21, 2012 with North Shore-LIJ IRB and ORP approval. For the analyses presented here, 36 healthy controls (HCs), 10 individuals with Mild Cognitive Impairment (MCI), and 14 individuals with Alzheimer's disease (AD) were included at baseline. Retention rates for these subjects over the course of this one year longitudinal study (with three assessments) was high at >60%. Nevertheless, as these sample sizes are below are recruiting goals. In order to rectify this we requested a No Cost Extension (see Appendix) and successfully recruited 16 participants over this period (as well as completed examinations of subjects who entered the study earlier).

Demographic data are in Table 1. Mean ages of the groups were in the 73 to 75year range. Sex ratio was more or less equivalent across groups, though slightly favoring males. The groups were well-educated with approximately 16 years of education.

Instrument

The long form of the UPSA included comprehension and planning, communication, finance, and transportation subtests. The short form included the comprehension and planning and communication subtests only.

Results and Discussion

Test retest reliability (over a six week period) was high in the sample at $r > .89$ for the long form and $.83$ for the short form ($p < .0001$). Small but measureable practice effects were present in the 6-week condition in the HC and MCI groups. Ceiling effects were negligible in the MCI and AD groups. In the HC group they were 14%. The long and short UPSA forms had a correlation of $.96$.

One of our key analyses consisted of a mixed model repeated measures ANOVA on the UPSA scores. Mixed models do not exclude subjects with missing data and are the statistic of choice in longitudinal designs. Diagnostic group was a main effect, time (baseline, 6 weeks, one year) was a within subjects effect, and diagnosis*time was the interaction term. Results were as follows for both the long and short form:

1. A highly main effect of diagnostic group was present: $HCs > MCI > AD$ in UPSA performance ($p < .001$).
2. A robust effect of time was present (with declining scores) ($p < .05$).
3. No diagnosis*time interaction was present.

Results are displayed in Figures 1 and 2. The HC group was stable over a one year period. The AD group demonstrated a consistent decline.

To understand these results more completely we used effect sizes expressed as Cohen's d . First, we examined group differences. We found consistently medium to large effect sizes in contrasts between HC and the two impaired groups (MCI and AD) at baseline and at one year. Additionally, MCI subjects performed better than AD subjects with a large effect size.

Next, we examined within subject time differences. For the HC group performance was quite stable. For the MCI and AD groups the difference between baseline and one year performance (especially on the UPSA short) yielded effect sizes that were medium (ie, $.4$ to $.6$), indicating decline.

Over six weeks the practice effect in Cohens d effect size units was less than $.20$ in the HC group and in the MCI group (i.e., small) for the long form. Practice effects were slightly larger for the short form of the UPSA

The correlation between the long form and short form of the UPSA was $.94$ ($p < .0001$). Given the high correlation between the two forms of the test and their high test-retest reliabilities, as well as the sensitivity to decline in the short form, we suggest that the short form will be utilized more frequently for pragmatic reasons (because it takes less time to administer).

In summary, these results suggest that the UPSA is sensitive to group differences in functional competence. As predicted, MCI and AD subjects performed worse than HCs. Moreover AD subjects demonstrated a medium effect sized decline over one year as did MCI subjects (notably on the short form UPSA). Psychometric properties of the UPSA were good in terms of test-retest reliability, ceiling, and floor effects. Because the short UPSA and Long UPSA were highly correlated we would recommend the short form of the UPSA if time and fatigue are issues in a given study.

References

Goldberg TE, Koppel J, Keehlisen L, Christen E, Werringloer U, Conejero-Goldberg C, Gordon ML, Davies P. Performance-based measures of everyday function in Mild Cognitive Impairment. Am J Psychiatry. 2010 Jul;167(7):845-53.

Gomar J, Bobes T, Davies P, Goldberg TE. Development of an UPSA short form for use in Mild Cognitive Impairment and Alzheimer's disease. Am J Geriatric Psychiatry. 2011 Nov;19(11):915-22

Demographics of HC, MCI, and AD Groups-Study 2

	<u>HC</u> (N=43)	<u>MCI</u> (N=20)	<u>AD</u> (N=26)
<u>Age</u>	73.8 ± 10.8	74.9 ± 8.4	74.7 ± 9.2
<u>Sex (m/f)</u>	21/22	8/12	11/15
<u>Ed.</u>	16.5 ± 2.9	16.8 ± 3.2	14.7 ± 3.6
<u>MMSE</u>	28.7±1.6	26.3±2.9	20.4±4.4

Figure 1

UPSA Long scores over time

Group $p < .0001$, time $p = .02$, group \times time $p = .18$




Figure 2

UPSA Short percentage scores over time
Group $p < .001$, time $p = .001$, group \times time $p = .23$




Figure 3

Effect Size UPSA Long (Between Groups)




Figure 4

Effect Size for UPSA Short (Between Groups)




Figure 5

Effect Size UPSA Long (within subject)




Figure 6

Effect Sizes UPSA Short (within subject)




Table 1 Group Demographics

Group	Age	Gender	Education	n(baseline)	n(6 week s)	n(1 year)
Healthy Control	71.5 (12.03)	53% male	16.61 (2.57)	36	31	26
Mild Cognitive Impairment	72.8 (10.16)	50% male	17.2 (2.25)	10	9	5
Alzheimer's Disease	74 (10.05)	50% male	15.5 (3.37)	14	8	8

Table 2. Descriptive data for the UPSA long and short forms

Diagnosis=HC

Variable	Mean	Std Dev	Minimum	Maximum	N
MMSE_BL	28.9166667	1.5189282	23.0000000	30.0000000	36
UPSA-_SHORT_1	88.3230453	6.1787890	74.0740741	100.0000000	36
UPSA-_LONG_1	89.7802095	6.7589245	73.4680135	100.0000000	36
MMSE_6WK	28.3548387	1.7425726	22.0000000	30.0000000	31
UPSA-_SHORT_2	90.3823178	7.0988087	75.9259259	100.0000000	31
UPSA-_LONG_2	92.5811882	5.0450183	81.7508418	100.0000000	31
MMSE_1YR	28.6923077	1.5432234	24.0000000	30.0000000	26
UPSA-_SHORT_3	87.6153846	8.0147195	68.5185185	98.1481481	26
UPSA-_LONG_3	90.9790210	6.9215856	72.4915825	99.0740741	26

Diagnosis=MCI

Variable	Mean	Std Dev	Minimum	Maximum	N
MMSE_BL	27.0000000	2.3570226	21.0000000	30.0000000	10
UPSA-_SHORT_1	77.0370370	9.1641203	64.8148148	90.7407407	10
UPSA-_LONG_1	84.2912458	5.7579939	72.8619529	90.8249158	10
MMSE_6WK	26.3333333	2.0615528	24.0000000	29.0000000	9
UPSA-_SHORT_2	80.8641975	10.7183675	62.9629630	96.2962963	9
UPSA-_LONG_2	86.5937149	8.7528287	71.9360269	95.8754209	9
MMSE_1YR	26.2000000	1.6431677	25.0000000	28.0000000	5
UPSA-_SHORT_3	75.1851852	8.7449770	64.8148148	83.3333333	5
UPSA-_LONG_3	83.9562290	6.1380319	75.5892256	91.6666667	5

Diagnosis=AD

Variable	Mean	Std Dev	Minimum	Maximum	N
MMSE_BL	20.3571429	5.2857885	11.0000000	28.0000000	14
UPSA-_SHORT_1	55.0264550	21.6501455	12.9629630	83.3333333	14
UPSA-_LONG_1	53.8768639	29.8509381	6.4814815	91.6666667	14
MMSE_6WK	20.5000000	4.7809144	14.0000000	28.0000000	8

UPSA_ _SHORT_2	55.3240741	23.0965032	18.5185185	74.0740741	8
UPSA_ _LONG_2	59.0256734	30.9748460	9.2592593	83.8383838	8
MMSE_1YR	20.2500000	5.7008771	8.0000000	25.0000000	8
UPSA_ _SHORT_3	47.2222222	21.2300557	3.7037037	74.0740741	8
UPSA_ _LONG_3	51.3383838	27.7088757	1.8518519	84.7643098	8



**The Litwin-Zucker Research Center
for the Study of Alzheimer's Disease**

350 Community Drive, 4th floor
Manhasset, New York 11030
Tel (516) 562-3492
Fax (516) 562-0401

March 10, 2015

The Feinstein Institute for Medical Research
Ms. Rita Nigri
Office of Grants and Contracts
350 Community Drive
Manhasset, NY 11030
(516) 562-3106

Project Officer, Cheryl Quirin
Telemedicine and Advanced Technology Research Center (TATRC)
US Army Medical Research and Materiel Command (USAMRMC)
Fort Detrick, MD 21702

Dear Ms. Quirin,

I am writing to request a no cost extension (NCE) for a period of 12 months under Award No. W81XWH-12-1-0084 through April 15, 2016 for the project entitled "Longitudinal Study of a Novel, Performance-based Measure of Everyday Functional Competence". The award is currently scheduled to end on April 15, 2015.


The progress on this project was delayed because of slowed recruiting for this ambitious study. While we have recruited nearly 70 subjects with excellent retention across the one year longitudinal study period (incorporating 3 assessments, for a total of nearly 200 assessments) we appreciate the need for more subjects to test our hypotheses fully. We will continue to seek ORP and IRB approval for this ongoing study.

The current award is fully spent, and we will use internal funds to support the study during the extension, including the post-doctoral fellow, study coordinator/recruiter, psychometrician, physician, and Principal Investigator time and effort during this period.

Also enclosed please find an updated SOW and revised timeline. Thank you for your understanding and assistance.

Sincerely,


Rita Nigri
Institutional Official


Terry Goldberg, PhD
Principal Investigator

Enc.

Cc: Dr. Anthony Pacifico